


SHOOTING PARAMETERS
 6-Fold CH Exp
 Shot by G.S. RTI 512
 Cable Length 1600 m
 Group Interval 67 m
 Shot Point Interval 34 m
 Average Shot Offset 12 m
 Charge Size 100 g
 Average Sigs Depth 2 m

PROCESSING PARAMETERS
 System 3 112
 Record Length 5 271 sec
 Sample 3 ms
 Gain 1.78
 Filter Length 212 msec
 Gate Length 260 msec
 No of Gates/Trace 2
 Initial Times, Gate No 1
 Tr1 1.1 sec, Tr2 0.3 sec
 Final Times, Gate No 2
 Tr1 1.0 sec, Tr2 3.9 sec

SEIS EDIT & NMO
 Filter Length 212 msec
 Gate Length 260 msec
 No of Gates/Trace 2
 Initial Times, Gate No 1
 Tr1 1.1 sec, Tr2 0.3 sec
 Final Times, Gate No 2
 Tr1 1.0 sec, Tr2 3.9 sec

DECONVOLUTION
 Time variant ARD 1
 Filter Length 212 msec
 Gate Length 260 msec
 No of Gates/Trace 2
 Initial Times, Gate No 1
 Tr1 1.1 sec, Tr2 0.3 sec
 Final Times, Gate No 2
 Tr1 1.0 sec, Tr2 3.9 sec

6-FOLD STACK
 Optimum Wide Band Stack
 RNMO Yes, Diversity Stack Yes
 First Break Suppression
 T₁ 0 sec, T₂ 1.2 sec
 T₃ 0.6 sec, T₄ 1.4 sec
 T₅ 1.0 sec, T₆ 1.6 sec



DISPLAY
 Analog Filters OUT - OUT
 Straight Scan
 +18-0 -20-2
 Tape HTL 4 330

REQ. N° L- 2228
 Section N° 4185 C
 System Code MSTV-2
 Assembled by *K. Fady*
 Checked by *R. D. Jones*
 NE

