

997-11-69

AGIP

OFFSHORE ITALIA  
ZONA F

W

LINEA F-76.72C

E

1

COMPAGNIE GENERALE  
DE GÉOPHYSIQUE

		PROCESSING SAMPLING RATE 4 ms		FIELD RECORDING SAMPLING RATE 4 ms	
DIGITAL PROCESSING P5		1 AMPLITUDE RECOVERY		Ship POLAR BJORN Shooting date: FEB /1976	
TIME ORIGIN: Source and cable depth		2 VAPORCHOC stabilization by vaporchoc signal		Field recorder SN338B filter 1/8-125	
STACK 4800 s		3 MUTING		floating point sampling: 4 ms	
Boat motion		4 DECONVOLUTION 240 ms		Streamer: 2400 m (Depth 15 m)	
		Windows: 500 2300 ms		groups: 48 (group interval: 50 m)	
		5 VELOCITY ANALYSIS (VA)		Geophones type HC 201 nr: 48 / group	
		6 KMO CORRECTIONS		48Fold coverage	
		LINEAR INTERPOLATION BETWEEN VELOCITY FUNCTIONS		Energy source VAPORCHOC (Depth 5 m)	
		538 Date MAY 11 .76 Checked		58 tr.1 Streamer tr.48	
		530m MOTOROLA positioning		330m MOTOROLA positioning	

00299

F76143

58

Water depth  
in meters

481 470 460 450 440 430 420 410 400 390 380 370 360 350 340 330 320 310 300 290 280 270 260 250 240 230 220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 1

NO SOUNDINGS

TWT

800

200

400

600

800

1000

1200

1400

1600

1800

2000

2200

2400

2600

2800

3000

3200

3400

3600

3800

4000

4200

4400

4600

4800

5000

5200

5400

5600

5800

6000

6200

6400

VA

F76072D

1562

VA

TWT

800

200

400

600

800

1000

1200

1400

1600

1800

2000

2200

2400

2600

2800

3000

3200

3400

3600

3800

4000

4200

4400

4600

4800

5000

5200

5400

5600

5800

6000

6200

6400

VA

TWT

800

200

400

600

800

1000

1200

1400

1600

1800

2000

2200

2400

2600

2800

3000

3200

3400

3600

3800

4000

4200

4400

4600

4800

5000

5200

5400

5600

5800

6000

6200

6400

VA

TWT

800

200

400

600

800

1000

1200

1400

1600

1800

2000

2200

2400

2600

2800

3000

3200

3400

3600

3800

4000

4200

4400

4600

4800

5000

5200

5400

5600

5800

6000

6200

6400

VA

TWT

800

200

400

600

800

1000

1200

1400

1600

1800

2000

2200

2400

2600

2800

3000

3200

3400

3600

3800

4000

4200

4400

4600

4800

5000

5200

5400

5600

5800

6000

6200

6400

VA