


PER-9-83
S.P. 85 TO S.P. 303




SP 101.00			SP 121.00			SP 140.50			SP 159.50			SP 199.00			SP 208.00			SP 234.00			SP 271.50					
TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.		TIME	POS. VEL. DIST. INT.				
0.04	3200	3200	0.04	3600	3600	0.04	3500	3500	0.04	3600	3600	0.04	3600	3600	0.04	3600	3600	0.04	3600	3600	0.04	3600	3600	0.04	3600	3600
0.25	3400	3400	0.25	3600	3600	0.25	3750	3750	0.25	3600	3600	0.25	3600	3600	0.25	3600	3600	0.25	3600	3600	0.25	3600	3600	0.25	3600	3600
0.44	3950	3955	0.44	4000	4000	0.44	4000	4078	0.44	3950	4033	0.44	3950	4131	0.44	3950	4212	0.44	3950	4306	0.44	3950	4391	0.44	3950	4477
0.70	3950	4011	0.70	4000	4132	0.70	4050	4284	0.70	4000	4371	0.70	4050	4460	0.70	4100	4550	0.70	4150	4641	0.70	4200	4731	0.70	4250	4821
0.87	4000	4220	0.87	4050	4352	0.87	4100	4499	0.87	4050	4586	0.87	4100	4676	0.87	4150	4766	0.87	4200	4856	0.87	4250	4946	0.87	4300	5036
1.05	4150	4358	1.05	4200	4500	1.05	4250	4652	1.05	4200	4739	1.05	4250	4829	1.05	4300	4919	1.05	4350	5009	1.05	4400	5099	1.05	4450	5189
1.23	4250	4526	1.23	4300	4668	1.23	4350	4820	1.23	4300	4907	1.23	4350	4997	1.23	4400	5087	1.23	4450	5177	1.23	4500	5267	1.23	4550	5357
1.45	4250	4891	1.45	4300	5033	1.45	4350	5185	1.45	4300	5272	1.45	4350	5362	1.45	4400	5452	1.45	4450	5542	1.45	4500	5632	1.45	4550	5722
1.63	4400	5059	1.63	4450	5201	1.63	4500	5353	1.63	4450	5440	1.63	4500	5530	1.63	4550	5620	1.63	4600	5710	1.63	4650	5800	1.63	4700	5890
1.85	4400	5228	1.85	4450	5370	1.85	4500	5522	1.85	4450	5609	1.85	4500	5699	1.85	4550	5789	1.85	4600	5879	1.85	4650	5969	1.85	4700	6059
2.07	4400	5593	2.07	4450	5735	2.07	4500	5887	2.07	4450	5974	2.07	4500	6064	2.07	4550	6154	2.07	4600	6244	2.07	4650	6334	2.07	4700	6424

PER-1-81 S.P. 343.5
PER-7-82 S.P. 127
PER-8-83 S.P. 222

DBS 750% TVF

SNIA BPD S.A.
Q G

ELEV. 85 90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 303 DATUM CORR.



SNIA WESTERN
RICERCHE GEOFISICHE

AREA ITALIA
PERMESSO PERUGIA

DATE SHOT: JUNE 1983
DATE PROCESSED: JUNE/AUG 1983

RECORDING DATA	PROCESSING SEQUENCE
PARTY NUMBER: S11-83-03 RECORDER: DPS-V RECORDING FILTER: 12/120 RECORDING LENGTH: 085C SAMPLE RATE: 1000	EDIT GEO. AMPL. SR WMS LEN. ESEC. EDIT REEL N. 10324 NOISE BLOCK & PREDECON FILTER PREPROCESSOR/OECON
SUBSURFACE COVERAGE: 750 PCT GROUP INTERVAL: 50 METERS NUMBER OF GROUPS: 60	DECON TYPE: MINIMUM PHASE INVERSE FILTER MIN. PHASE DIST. 60MS. MAX. PHASE DIST. 180MS STOP AUTOCORRELATION 8.0 SEC. DECON REEL N. 102514
WEATHERING VELOCITY: 500MS STATIC CORRECTION VELOCITY: 1000 MS DATUM PLANE (ABOVE SEA LEVEL): 1000 M	VELOCITY ANALYSIS NMO, STATICS, MUTE APPLICATION STRETCH DEPENDENT MUTE 1/10 PCT SURFACE CONSISTENT RESID. STATICS RESIDUAL SHIFT: 10 MS/C COHERENCY STACK 150 PCT. REEL N. 102791 RMS GAIN REGISTRATION HIGH ORDER: NO TIME VARIANT FILTER: VERTICAL & SPATIAL INTERPOLATION HORIZONTAL SHIFT: 10 MS/C PLAYBACK HORIZONTAL SCALE: 5 TRIV VERTICAL SCALE: 10 CM/SEC

SPREAD DIMENSIONS
30 30 30 30
SECTION OF LINE: SEISMOGRAPH ARRAY

DEPHONE TYPE: SENSON-SKU
DEPHONE FREQUENCY: 14KHZ
DEPHONE/GROUP: 24

ENERGY SOURCE: EXPLOSIVE
SHOT INTERVAL: 30S
AVERAGE CHARGE/SHOT: 80G
AVERAGE MUTE-TIME: 100MS

LEGEND
V VELOCITY ANALYSIS
INTERSECTIONS
ANALYST: *Full* DATE: 8-83

