


MTI
LINE 8
SP 144-2
24 FOLD CDPSUM



MINERARIA TEXAS ITALIAN

AREA BR-29 (ADRIATIC SEA) LINE NO. 8 SP's 144-2

FIELD DATA

PROCESSING

EXPONENTIAL GAIN RATE 4db/Sec GATE 0-3.0 Sec

VERTICAL STACK TWO ON ONE

NORMAL MOVEOUT

T.V. DECON MULTICHANNEL DECON

SP 144-43 NO. FILTERS 2 WHITE NOISE 1%

FILTER LENGTH 200 ms

DESIGN GATES NEAR OFFSET 200-2,300

1,900-4,500 Sec

DESIGN GATES FAR OFFSET 200-2,300

1,900-4,500 Sec

SP 42-1 NO. FILTERS 4 WHITE NOISE 1%

FILTER LENGTH ms

DESIGN GATES NEAR OFFSET 100-1,600

1,100-2,600, 2,100-3,600, 3,100-4,900 Sec

DESIGN GATES FAR OFFSET 100-1,600

1,100-2,600, 2,100-3,600, 3,100-4,900 Sec

VELOCITY ANALYSIS

RESIDUAL NORMAL MOVEOUT

COMMON DEPTH POINT GATHER

DIGITAL FILTER NO. FILTERS 3

BAND PASS 15-46 cps TIME 500 sec

10-40 cps 1,500 sec

10-30 cps 3,500 sec

TRACE AMPLITUDE EQUALIZATION

SINGLEFOLD DISPLAY

VELOCITY ANALYSIS

RECORDING INST TI 11,000, DFS III, 48 TRACE

RECORDING FILTERS 8-62 cps

SPREAD CONFIGURATION - END ON 585-8293' OFFSET

GAIN INFORMATION - BINARY GAIN

ARRAY - 9 GUNS

2-80 N³ (2-40) 6-20 IN³

6-40 IN³ 5-10 IN³

RECORDED AND PROCESSED BY

digicon inc.
HOUSTON, TEXAS

MTI
LINE 8
SP 144-2
24 FOLD CDPSUM

