

MTI
LINE 15

SP 69-242
24 FOLD CDPSUM

1 KILOMETER

NORTHEAST

AREA BR-30 (ADRIATIC SEA) MINERARIA TEXAS ITALIAN
LINE NO. 15 SP's 69-242

PROCESSING

<input type="checkbox"/> EXPONENTIAL GAIN RATE 4db/Sec. GATE 0-30 Sec.	<input type="checkbox"/> VELOCITY ANALYSIS	RECORDING INST T1 11,000 , DFS III , 48 TRACE
<input checked="" type="checkbox"/> VERTICAL STACK TWO ON ONE	<input type="checkbox"/> RESIDUAL NORMAL MOVEOUT	RECORDING FILTERS 8-62 cps
<input checked="" type="checkbox"/> NORMAL MOVEOUT	<input checked="" type="checkbox"/> COMMON DEPTH POINT GATHER	SPREAD CONFIGURATION - END ON 595'-829' OFFSET
<input checked="" type="checkbox"/> TV DECON. <input type="checkbox"/> MULTICHANNEL DECON	<input checked="" type="checkbox"/> COMMON DEPTH POINT SUM 24 FOLD	GAIN INFORMATION - BINARY GAIN
SP 69-242, NO FILTERS 2, WHITE NOISE 1%	<input checked="" type="checkbox"/> DIGITAL FILTER NO FILTERS 3	ARRAY - 19 GUNS
FILTER LENGTH 240 ms	BAND PASS 15 - 40 cps TIME 0 - 500 sec	2 - 80 IN ² (2-40) 6 - 20 IN ²
DESIGN GATES NEAR OFFSET 200-2 600	10 - 40 cps - 1 100 sec	6 - 40 IN ² 5 - 10 IN ²
2 200 - 4 700 Sec.	DESIGN GATES FAR OFFSET 200-2 600	
DESIGN GATES FAR OFFSET 200-2 600	2 200 - 4 700 Sec.	
SP NO. FILTERS WHITE NOISE	<input checked="" type="checkbox"/> TRACE AMPLITUDE EQUALIZATION	RECORDED AND PROCESSED BY
FILTER LENGTH ms	<input type="checkbox"/> SINGLEFOLD DISPLAY	digicon inc.
DESIGN GATES NEAR OFFSET	<input checked="" type="checkbox"/> VELOCITY ANALYSIS	HOUSTON, TEXAS
DESIGN GATES FAR OFFSET		

MTI
LINE 15

SP 69-242
24 FOLD CDPSUM

