

**MINERARIA TEXAS ITALIAN**

AREA DR-22 (ADRIATIC SEA)      LINE NO. 44      SP's 3-186

PROCESSING      FIELD DATA

<input type="checkbox"/> EXPONENTIAL GAIN RATE _____ GATE _____ <input type="checkbox"/> VERTICAL STACK TWO ON ONE _____ <input checked="" type="checkbox"/> NORMAL MOVEOUT _____ <input checked="" type="checkbox"/> TV DECON <input type="checkbox"/> MULTICHANNEL DECON _____ SP3-187 NO FILTERS 5 WHITE NOISE 1% FILTER LENGTH 100 ms DESIGN GATES NEAR OFFSET 100-1100 700-1700, 1300-2500, 2100-3500, 3000-4500 Sec DESIGN GATES FAR OFFSET 100-1100 700-1700, 1300-2500, 2100-3500, 3000-4500 Sec SP _____ NO FILTERS _____ WHITE NOISE _____ FILTER LENGTH _____ ms DESIGN GATES NEAR OFFSET _____ _____ DESIGN GATES FAR OFFSET _____	<input type="checkbox"/> VELOCITY ANALYSIS _____ <input type="checkbox"/> RESIDUAL NORMAL MOVEOUT _____ <input type="checkbox"/> COMMON DEPTH POINT GATHER _____ <input type="checkbox"/> COMMON DEPTH POINT SUM 24 FOLD _____ <input checked="" type="checkbox"/> DIGITAL FILTER NO FILTERS 3 _____ BAND PASS 15-45 cps TIME 0-500 sec 10-40 cps           1100-           sec 10-25 cps           2100-5000 sec <input type="checkbox"/> TRACE AMPLITUDE EQUALIZATION _____ <input type="checkbox"/> SINGLEFOLD DISPLAY _____ <input checked="" type="checkbox"/> VELOCITY ANALYSIS _____
--	---

RECORDING INST. TI 11,000, DFS III, 48 TRACE  
 RECORDING FILTERS 8-62 cps  
 SPREAD CONFIGURATION - END ON 585-8293' OFFSET  
 GAIN INFORMATION - BINARY GAIN  
 ARRAY - 19 GUNS  
 2 - 80 IN<sup>2</sup> (2-40)    6 - 20 IN<sup>2</sup>  
 6 - 40 IN<sup>2</sup>            5 - 10 IN<sup>2</sup>

RECORDED AND PROCESSED BY  
 digicon inc.  
 HOUSTON, TEXAS

MTI  
 LINE 44  
 SP 3-186  
 24 FOLD CDPSUM

MTI  
 LINE 44  
 SP 3-186  
 24 FOLD CDPSUM

1 KILOMETER

SOUTHEAST

