

FIG. 4

A4053

B.R122
B.R156

PROPOSED WELL
LOCATION (PROJECTED)

INA ELEKTRONICKI RAČUNSKI
CENTAR - ZAGREB

CLIENT
CIGOL

ADRIATIC SEA
LINE: L-12B
SHOT POINTS 2607-2826

SHOOTING PARAMETERS	RECORDING PARAMETERS	SEIS EDIT & NMO	DECONVOLUTION	24-FOLD STACK	DIGITAL BAND PASS FILTERING	DISPLAY
24-fold off end Shot by GEOFIZIKA Cable length 160 m Group interval 70 m Shot point interval 35 m Shot offset 305 m Charge flexotir Average seis depth 9 m	System 10000/200 Record length 50 sec Sample 4 ms PGC trip 03 rate 80 init 80 final 120 Filters hi 70/24 lo 12/24	TAR YES B=60 db c=55 db/sec from 05 sec to 30sec Water velocity 1500m/sec	TVD Filter length 52 ms Gate length 1440 ms N° gates/trace 4 Trace Initial Final 1 800 4200 2 1400 4800	Depth point stack RNMO First break suppression T ₁ 150 T ₂ 1260 T ₃ 300 T ₄ 1380 T ₅ 500 T ₆ 1500 T ₇ 700 T ₈ 1620 T ₉ 900 T ₁₀ 1880 T ₁₁ 1100 T ₁₂ 2150		Analog filters OUT-OUT Straight gain: R(0)-4 Type HZ-325

