

LINE II
 SP 103-229
 2 x 24 FOLD STACK

SOUTHEAST

1 KILOMETER

SOCIETA ITALIANA RESINE

AREA TYRRHENIAN SEA LINE NO. II SP's 103-229

<p>PROCESSING</p> <p>1 EXPONENTIAL GAIN RATE 4db/Sec. GATE 0-3.0Sec.</p> <p>2 VERTICAL STACK TWO ON ONE</p> <p>5 NORMAL MOVEOUT</p> <p>7 T.V. DECON <input type="checkbox"/> MULTICHANNEL DECON</p> <p>NO FILTERS 2 WHITE NOISE 1%</p> <p>FILTER LENGTH 304 ms</p> <p>DESIGN GATES NEAR OFFSET 0 -3.000,</p> <p>2.700 - 4.500 Sec.</p> <p>DESIGN GATES FAR OFFSET 0 -3.000,</p> <p>2.700 - 4.500 Sec.</p> <p>SP NO FILTERS WHITE NOISE</p> <p>FILTER LENGTH ms</p> <p>DESIGN GATES NEAR OFFSET</p> <p>DESIGN GATES FAR OFFSET</p>	<p>4 VELOCITY ANALYSIS</p> <p><input type="checkbox"/> RESIDUAL NORMAL MOVEOUT</p> <p>3 COMMON DEPTH POINT GATHER</p> <p>6 COMMON DEPTH POINT SUN 24 FOLD</p> <p>8 DIGITAL FILTER NO FILTERS 3</p> <p>BAND PASS 15 - 45 cps TIME 0</p> <p>10 - 40 cps AT MAJOR UNCONFORMITY</p> <p>10 - 30 cps 2.500 5.000</p> <p>9 TRACE AMPLITUDE EQUALIZATION</p> <p><input type="checkbox"/> SINGLEFOLD DISPLAY</p> <p><input checked="" type="checkbox"/> VELOCITY ANALYSIS</p>
---	--

FIELD DATA

RECORDING INST. T. 11000 J. DFS II '48 TRACE

RECORDING FILTERS B-62 CBS

SPREAD CONFIGURATION - END ON 255'-7963' OFFSET


GAIN INFORMATION - BINARY GAIN

ARRAY - 21 GUN

2 - 80 IN (1-40) 6 - 20 IN

6 - 40 IN 7 - 10 IN

RECORDED AND PROCESSED BY

 digicon inc.
HOUSTON, TEXAS

