



| | | |
|----------|-----------|---------|
| ALLEGATO | DATA | DIS. N° |
| 3 | GIUGNO 81 | 222/5 |

D.R50.AG

F.R5.AG

LINA 1

| RECORDING | DATA | PLAYBACK | DATA |
|----------------------|---------------------|---------------------|----------------|
| CONTRACTOR | WESTERN GEOPHYSICAL | DATUM PLANE | SEA LEVEL |
| PARTY NO | 62 | VERTICAL SCALE | 1 SEC. = 10 CM |
| MAGNETIC RECORDER | 005 777 | HORIZONTAL SCALE | 1 KM. = 6.4 CM |
| SAMPLE RATE | 4 MS. | PREPROCESSING REEL | 6269 |
| RECORD LENGTH | 6 SEC. | STACK REEL | 6862 |
| FILTER L.C. | 8 HZ | PREVIOUS PROCESSING | FEBRUARY 1975 |
| ALIASING FILTER | 62 | DATE | MARCH 1980 |
| DATE | DECEMBER 1972 | | |
| SPREAD CONFIGURATION | 0-285-2635 | | |
| TRACE / S.P. | 48 | SP 48 | |
| GROUP / INTERVAL | 50 M. | | |
| GEOPHONES / GROUP | 20 | | |
| GEOPHONES / HZ | | | |
| ENERGY SOURCE | AQUAPULSE | | |
| GUN DEPTH | 9 MT. | | |
| CABLE DEPTH | 9 MT. | | |
| CHARGE SIZE | 4 GUN POPS | | |


PROCESSING

EDIT (GEOPHONE AMPLITUDE)
 DBS: MIN PHASE INV. FILTER 24-252
 VELOCITY ANALYSIS
 DYNAMIC CORRECTIONS
 STACK 4800Z
 T.V.F.

T.V.F. PARAMETERS

| | | |
|-------------|-----------|-----------|
| 100-1,000 | 10HZ 24DB | 50HZ 48DB |
| 1,000-1,650 | 8HZ 24DB | 48HZ 48DB |
| 1,650-3,200 | 6HZ 24DB | 48HZ 48DB |
| 3,200-4,000 | 6HZ 24DB | 40HZ 48DB |
| 4,000-5,000 | 6HZ 24DB | 38HZ 48DB |

POLARITY CONVENTION
 COMPRESSONAL WAVES - WHITE ON SECTION



PROCESSED BY *Zovino*
 CONTROLLED BY *Leckstein*

