



RECORDING DATA	PROCESSING INFORMATION		PROCESSING SEQUENCE	LEGEND
PARTY No. <u>62</u> ENERGY SOURCE <u>AQUAPULSE</u> FILTER <u>HI/62 - LO/8</u> CABLE <u>48 GROUPS - 2400 mt.</u> GEOPHONES <u>20 CRYSTAL ELEMENT</u> EVENLY SPACED <u>1,52 mt. APART</u> LEAD IN <u>285 mt.</u> AMPLIFIER <u>S.D.S. BINARY GAIN</u> CHARGE SIZE <u>4 GUN POPS</u> GUN DEPTH <u>9.0 mt.</u> AVG. CABLE DEPTH <u>9.0 mt.</u> DATE SHOT <u>DEC. 1972</u>	SAMPLE RATE <u>4 ms</u> DECON BEFORE STACK TIME VAR. MIN. PHASE INVERSE FILTER AUTO CORR. INT. : <u>2 ZONES</u> SEARCH ZONE : <u>32 ms. TO 200 ms.</u> OPERATOR LENGTH : <u>SEARCH ZONE</u> TIME ZONE : <u>0 - 5.0 SEC</u> ITERATIONS : <u>1</u>		1) EDIT (SUM I POP) 2) DECONVOLUTION BEFORE STK 3) 4800 % STK 4) MULTI-CHANNEL FILTER NONE 5) TV FILTER 6) PLAYBACK VELOCITIES INTERPOLATED BETWEEN POINTS OF APPLICATION CORRECTION TO SEA LEVEL = <u>0</u> REEL No. <u>81628</u> DATE <u>FEB. 1973</u>	INTERSECTION: <u>LINE</u> <u>S.P.</u> VELOCITY APPLIED: <u>FUNCTION</u> <u>No.</u> VELOCITY ANALYSIS: <u>1</u> SHOT POINT No.: <u>100</u> WATER DEPTH IN METRES: <u>10</u>
	TIME VARIANT FILTER L.C. H.C. TIME ZONE Hz dB/OCT Hz dB/OCT VARIABLE 15 18 50 48 " 10 12 45 48 " 8 12 35 48 " 7 12 30 48			

LINE DR-528

S.P. 7 to S.P. 31

DATUM PLANE : SEA LEVEL

