



RECORDING DATA	
PARTY No	62
ENERGY SOURCE	AQUAPULSE
FILTER	HI/62 - LO/8
CABLE	48 GROUPS - 2400 m.
GEOPHONES	20 CRYSTAL ELEMENT
EVENLY SPACED	1.52 m. APART
LEAD IN	285 m.
AMPLIFIER	S.D.S. BINARY GAIN
CHARGE SIZE	4 GUN POPS
GUN DEPTH	9.0 m.
AVG. CABLE DEPTH	9.0 m.
DATE SHOT	DEC. 1972

PROCESSING INFORMATION	
SAMPLE RATE 4 ms	
<b>DECON BEFORE STACK</b>	
TIME VAR. MIN. PHASE INVERSE FILTER	
AUTO CORR. INT.: 2 ZONES	
SEARCH ZONE: 32 ms. TO 200 ms.	
OPERATOR LENGTH: SEARCH ZONE	
TIME ZONE: 0 - 5.0 SEC	
ITERATIONS: 1	
<b>TIME VARIANT FILTER</b>	
	L.C.      H.C.
TIME ZONE Hz dB/OCT	Hz dB/OCT
VARIABLE	15 18      50 48
"	10 12      45 48
"	8 12      35 48
"	7 12      30 48

PROCESSING SEQUENCE
1) EDIT (SUM I POP)
2) DECONVOLUTION BEFORE STK
3) 4800 % STK
4) MULTI-CHANNEL FILTER NONE
5) TV FILTER
6) PLAYBACK
VELOCITIES INTERPOLATED BETWEEN POINTS OF APPLICATION
CORRECTION TO SEA LEVEL = 0
REEL No 88319
DATE FEB. 1973

LEGEND
INTERSECTION:
VELOCITY APPLIED:
VELOCITY ANALYSIS:
SHOT POINT No.: 100
WATER DEPTH IN METRES: 10

**LINE DR-545F**  
 S.P. 1 to S.P. 25  
 DATUM PLANE : SEA LEVEL

