



RISERVATO

SEZIONE IDROCARBURI
 THE AQUAPULSE® SYSTEM di NAPOLI
 11 MAG. 1977
 1883

LINE DR-563C

S.P. 1 to S.P. 31

DATUM PLANE : SEA LEVEL

DIREZIONE MINERARIA		AREA: IONIAN SEA	PROSPECT: ZONE "D"	WESTERN GEOPHYSICAL															
RECORDING DATA PARTY No. 62 ENERGY SOURCE AQUAPULSE FILTER HI/62-LO/8 CABLE 48 GROUPS - 2400 m. GEOPHONES 20 CRYSTAL ELEMENT EVENLY SPACED 1,52 m. APART LEAD IN 265 m. AMPLIFIER S.O.S. BINARY GAIN CHARGE SIZE 4 GUN POPS GUN DEPTH 9.0 m. AVG. CABLE DEPTH 9.0 m. DATE SHOT DEC. 1972		PROCESSING INFORMATION SAMPLE RATE 4 ms DECON BEFORE STACK TIME VAR. MIN. PHASE INVERSE FILTER AUTO CORR. INT. : 2 ZONES SEARCH ZONE : 32 ms. TO 200 ms. OPERATOR LENGTH SEARCH ZONE TIME ZONE : 0-5.0 SEC ITERATIONS : 1		PROCESSING SEQUENCE 1) EDIT (SUM I POP) 2) DECONVOLUTION BEFORE STK 3) 4800 % STK 4) MULTI-CHANNEL FILTER 5) TV FILTER 6) PLAYBACK VELOCITIES INTERPOLATED BETWEEN POINTS OF APPLICATION CORRECTION TO SEA LEVEL = 0 REEL No. 82724 DATE JAN. 1973	LEGEND INTERSECTION: LINE SP VELOCITY APPLIED: FUNCTION No. VELOCITY ANALYSIS: 100 SHOT POINT No.: 100 WATER DEPTH IN METRES: 10														
TIME VARIANT FILTER <table border="1"> <thead> <tr> <th>VARIABLE</th> <th>L.C.</th> <th>H.C.</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>18</td> <td>50 48</td> </tr> <tr> <td>10</td> <td>12</td> <td>45 48</td> </tr> <tr> <td>8</td> <td>12</td> <td>35 48</td> </tr> <tr> <td>7</td> <td>12</td> <td>30 48</td> </tr> </tbody> </table>		VARIABLE	L.C.	H.C.	15	18	50 48	10	12	45 48	8	12	35 48	7	12	30 48			
VARIABLE	L.C.	H.C.																	
15	18	50 48																	
10	12	45 48																	
8	12	35 48																	
7	12	30 48																	

DR-563C V S.P. I

DR-563C V S.P. I

DR-563C V S.P. 13

DR-563C V S.P. 30

NORTHWEST

