


SICILY GROUP-AMOCO
 LINE ZC-105
 SP 160-20

NORTHEAST

LINE ZC-105

SHOTPOINTS 160-20
 PROJECT SICILY GROUP-AMOCO



FIELD DATA

RECORDING INSTRUMENTS T1 DFS III
 GAIN INFORMATION BINARY
 RECORDING FILTERS 8-18/62 Hz.

SAMPLE RATE 4 MS
 GROUP INTERVAL 50 METERS
 NO GROUPS 48
 NEAR GROUP 205.8 METERS
 SHOTPOINT INTERVAL 100 METERS
 SP INTERVAL

INSTRUMENT AIRGUNS
 DIGICON
 DATE OCT 17, 1972

PROCESSING

1 EXPONENTIAL GAIN RATE 4 db/Sec. RATE 0-4.000 Sec.
 2 VERTICAL STACK
 6 NORMAL MOVEOUT INPUT FUNCTION

7 T.V. DECON MULTICHANNEL DECON
 S.P. 160-20 No. FILTERS 1 WHITE NOISE 1%
 FILTER LENGTH 304
 DESIGN GATES NEAR OFFSET 0.500-4.900 Sec

DESIGN GATES FAR OFFSET 2.600-4.900 Sec

3 SINGLE FOLD DISPLAY 8 COMMON DEPTH POINT SUM 24 FOLD
 5 VELOCITY ANALYSIS 9 DECON AFTER STACK
 RESIDUAL NORMAL MOVEOUT 11 TRACE AMPLITUDE EQUALIZATION

4 COMMON DEPTH POINT GATHER
 S.P. 160-20 No. FILTERS 1 WHITE NOISE 1%
 FILTER LENGTH 304
 DESIGN GATES NEAR OFFSET 0.500-4.900 Sec

DESIGN GATES FAR OFFSET 0.500-4.900 Sec

10 DIGITAL FILTER No. FILTERS 3
 BAND PASS 10 - 40 Hz TIME 0.500 Sec
 10 - 30 Hz TIME 1.200 Sec
 5 - 25 Hz TIME 2.500-5.000 Sec

PROCESSED BY
 digicon inc
 HOUSTON, TEXAS

FIG. 6