

SICILY GROUP-AMOCO
 LINE ZC-105
 SP 160-20


NORTHEAST

LINE ZC-105

SHOTPOINTS 160-20

PROJECT SICILY GROUP-AMOCO

INT LINE ZC-148 SP249 252 252 240 232 232 100 232 232 216 232 232 50 240 252 252



FIELD DATA

RECORDING INSTRUMENTS TI DFS III
 GAIN INFORMATION BINARY
 RECORDING FILTERS 8-18/62 Hz
 SAMPLE RATE 4 MS
 GROUP INTERVAL 50 METERS
 NO GROUPS 48
 NEAR GROUP 205.8 METERS
 SHOTPOINT INTERVAL 100 METERS
 AIRGUNS
 DIGICON
 DATE OCT. 17, 1972

PROCESSING

1 EXPONENTIAL GAIN RATE 4 db/Sec GATE 0-4.000 Sec
 2 VERTICAL STACK
 6 NORMAL MOVEOUT INPUT FUNCTION
 7 T.V. DECON MULTICHANNEL DECON
 S.P. 160-20 NO FILTERS WHITE NOISE
 FILTER LENGTH 304
 DESIGN GATES NEAR OFFSET 0.500-4.900 Sec
 DESIGN GATES FAR OFFSET 2.600-4.900 Sec
 3 SINGLE FOLD DISPLAY 8 COMMON DEPTH POINT SUM 24
 5 VELOCITY ANALYSIS 9 DECON AFTER STACK
 WENTZL NORMAL MOVEOUT II TRACE AMPLITUDE EQUALIZATION
 4 COMMON DEPTH POINT GATHER
 S.P. 160-20 NO FILTERS WHITE NOISE
 FILTER LENGTH 304
 DESIGN GATES FAR OFFSET 0.500-4.900 Sec
 DESIGN GATES NEAR OFFSET 0.500-4.900 Sec
 10 DIGITAL FILTER NO FILTERS
 BAND PASS 10 - 40 HZ TIME 0 - 500 Sec
 10 - 30 HZ TIME 1.200 Sec
 5 - 25 HZ TIME 2.500 - 5.000 Sec

RISERVATO

PROCESSED BY
 digicon inc
 HOUSTON, TEXAS

27 GEN. 1975
 205
 2-33i roez. A/B