


SICILY GROUP-AMOCO
 LINE ZC-214B
 SP 165-5

SOUTHEAST

—BOAT CIRCLE—

—BOAT CIRCLE—



LINE ZC-214B

SHOTPOINTS 165-5
 PROJECT SICILY GROUP-AMOCO

FIELD DATA
 RECORDING INSTRUMENTS T.I. DFS III
 GAIN INFORMATION BINARY
 RECORDING FILTERS 8-18/62 Hz
 SAMPLE RATE 4 MS
 GROUP INTERVAL 50 METERS
 No. GROUPS 48
 NEAR GROUP 205.8 METERS
 SHOTPOINT INTERVAL 100 METERS
 POP INTERVAL
 ENERGY SOURCE AIRGUNS
 RECORDED BY DIGICON
 DATE SHOT OCT 25, 1972

PROCESSING
 1 EXPONENTIAL GAIN RATE 4 db/Sec. GATE 0-4.000 Sec.
 2 VERTICAL STACK
 3 NORMAL MOVEOUT - INPUT FUNCTION
 7 T.V. DECOR MULTICHANNEL DECOR
 S.P. 165-5 No. FILTERS 1 WHITE NOISE 1%
 FILTER LENGTH 304 ms
 DESIGN GATES NEAR OFFSET 0.900-4.900 Sec.
 DESIGN GATES FAR OFFSET 2.600-4.900 Sec.
 3 SINGLE FOLD DISPLAY COMMON DEPTH POINT SUM 29 FOLD
 5 VELOCITY ANALYSIS DECOR AFTER STACK
 RESIDUAL NORMAL MOVEOUT TRACE AMPLITUDE EQUALIZATION
 4 COMMON DEPTH POINT GATHER 11 AUTO-CORRELATION
 S.P. No. FILTERS WHITE NOISE
 FILTER LENGTH ms
 DESIGN GATES NEAR OFFSET
 DESIGN GATES FAR OFFSET
 9 DIGITAL FILTER No. FILTERS 2
 BAND PASS 5-40 Hz. See bottom to top of OLISTOSTROMA or CARBONATE (whichever comes first). Grouping 500 second into a BAND PASS 5-25 Hz applied to 5.000 second.

PROCESSED BY
 digicon inc.
 HOUSTON, TEXAS

SERVATO

SEZIONE IDROCARBURI
 di NAPOLI
 29 LUG. 1974
 Prof. N. *Zuo*
 Sez. Posiz.

0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
1.6
1.7
1.8
1.9
2.0
2.1
2.2
2.3
2.4
2.5
2.6
2.7
2.8
2.9
3.0
3.1
3.2
3.3
3.4
3.5
3.6
3.7
3.8
3.9
4.0
4.1
4.2
4.3
4.4
4.5
4.6
4.7
4.8
4.9
5.0