


A
 N.W. - S.E. TRENDING FAULT SYSTEM
 AFFECTING DISTRIBUTION OF CARBONATE
 FACIES DURING LATE TRIASSIC
 AND EARLY JURASSIC

B
 PROBABLE EARLY N.E. - S.W. TRENDING
 FAULT SYSTEM REACTIVATED DURING
 LATE CRETACEOUS/ EARLY TERTIARY
 PHASE OF FOLDING WITH
 ASSOCIATED SHEAR MOVEMENT

AGE PERIOD	STAGE/EPOCH	FORMATION NAME OLD NAME (NEW NAME)	LITHOLOGY
TERTIARY	Pliocene	PLIOCENE - PLEISTOCENE	
	Miocene	PALAZZOLO TELLARO	
		RAGUSA	
	Paleocene		
CRETACEOUS	Upper	(AMERILLO)	
	Middle	ALCAMO	
		(HYBLA)	
		(CHIRAMONTE)	
	Lower		
	JURASSIC	Upper	GIARDINI (BUCCHERI)
Middle		VILLAGONIA (MODICA)	
		INIĆI (SIRACUSA)	(STREPPENOSA)
Lower			
TRIASSIC		Upper	(NOTO) (NAFTIA)
	Lower	(GELA)	
		SHELF	BASIN



LASMO
 International Oil Development Limited

OFFSHORE SICILY
 BLOCK CR100

TIME STRUCTURE MAP
TOP STREPPENOSA
 C.I. 50ms

1:50,000

JUNE 83