



THE AQUAPULSE® SYSTEM

LINE DR-539

S.P. 13 to S.P. 49

DATUM PLANE : SEA LEVEL

AGIP		AREA: IONIAN SEA	PROSPECT: ZONE "D"	WESTERN GEOPHYSICAL
DIREZIONE MINERARIA				
RECORDING DATA		PROCESSING INFORMATION		LEGEND
PARTY No 62 ENERGY SOURCE AQUAPULSE FILTER HI/62 - LO/8 CABLE 48 GROUPS - 2400 mt. GEOPHONES 20 CRYSTAL ELEMENT EVENLY SPACED 1,52 mt. APART LEAD IN 285 mt. AMPLIFIER S.D.S. BINARY GAIN CHARGE SIZE 4 GUN POPS GUN DEPTH 9.0 mt. AVG. CABLE DEPTH 9.0 mt. DATE SHOT DEC. 1972		SAMPLE RATE 4 ms DECON BEFORE STACK TIME VAR. MIN. PHASE INVERSE FILTER AUTO CORR. INT.: 2 ZONES SEARCH ZONE: 32 ms. TO 200 ms. OPERATOR LENGTH: SEARCH ZONE TIME ZONE: 0 - 5.0 SEC ITERATIONS: 1		PROCESSING SEQUENCE 1) EDIT (SUM 1 POP) 2) DECONVOLUTION BEFORE STK 3) 4800 % STK 4) MULTI-CHANNEL FILTER NONE 5) TV FILTER 6) PLAYBACK VELOCITIES INTERPOLATED BETWEEN POINTS OF APPLICATION CORRECTION TO SEA LEVEL = 0 REEL No 88318 DATE FEB. 1973
		TIME VARIANT FILTER L.C. H.C. TIME ZONE Hz dB/OCT Hz dB/OCT VARIABLE 15 18 50 48 " 10 12 45 48 " 8 12 35 48 " 7 12 30 48		LINE S.P. ↓ INTERSECTION: FUNCTION No. VELOCITY APPLIED: V VELOCITY ANALYSIS: — SHOT POINT No.: 100 WATER DEPTH IN METRES: 10

DR-539 S.P. 14

DR-539 S.P. 14

DR-539 S.P. 27

DR-539 S.P. 50

DR-539 S.P. 50

DR-546 B
44

DR-547 B
43

SOUTH WEST

D

