

THE AQUAPULSE<sup>®</sup> SYSTEM

SEZIONE IDROCAR

di NAPOLI

11 MAG. 1977  
Prot. N. 1884Sez.  
Posiz.

LINE DR-562B

S.P. 61 to S.P. 121

DATUM PLANE: SEA LEVEL

RECORDING DATA		PROCESSING INFORMATION		PROCESSING SEQUENCE		LEGEND	
PARTY NO 62 ENERGY SOURCE AQUAPULSE FILTER HI/62-LO/8 CABLE 48 GROUPS - 2400 mt		SAMPLE RATE 4 ms DECON BEFORE STACK TIME VARIANT FILTER		1) EDIT (SUM 1 POP) 2) DECONVOLUTION BEFORE STK 3) 4800 % STK 4) MULTI-CHANNEL FILTER NONE 5) TV FILTER 6) PLAYBACK		LINE INTERSECTION: S.P. FUNCTION No. VELOCITY APPLIED: V VELOCITY ANALYSIS: SHOT POINT No.: 100 WATER DEPTH IN METRES: 10	
GEOPHONES 20 CRYSTAL ELEMENT EVENLY SPACED 1,52 mt. APART LEAD IN 285 mt		TIME VAR. MIN. PHASE INVERSE FILTER AUTO CORR. INT. 2 ZONE SEARCH ZONE: 32 ms. TO 200 ms. OPERATOR LENGTH: SEARCH ZONE TIME ZONE: 0 - 5.0 SEC ITERATIONS: 1		TIME ZONE Hz dB/OCT L.C. H.C. VARIABLE 15 18 50 48 " 10 12 45 48 " 8 12 35 48 " 7 12 30 48		CORRECTION TO SEA LEVEL: 0 REEL No: 76926 DATE: JAN 1973	
AMPLIFIER S.D.S. BINARY GAIN CHARGE SIZE 4 GUN POPS GUN DEPTH 9.0 mt. AVG. CABLE DEPTH 9.0 mt. DATE SHOT DEC, 1972							

RISERVATO

