


TYRRHENIAN SEA  
 LINE 34  
 SP 1170 - 1257

SEZIONE IDROCARBURI  
 di NAPOLI  
 27 MAG. 1975  
 Prof. N. 1870  
 Sez. Posiz.

SEIS CAN DELTA



NE

SP 1170-1257 FOLD 24 LINE 34

TYRRHENIAN SEA AREA

CANADIAN SUPERIOR OIL LTD. CLIENT

T/V DECON + 2400% CDP STACK + STVF  
 PRIMARY DIGITAL PROCESSES

RECORDING DATA

RECORDED BY SEISCAN SER. LTD. PARTY DATE APR / 74

ENERGY SOURCE TUNED AIRGUN ARRAY

SOURCE CONFIGURATION SAMPLE RATE 4 ms

FIELD TAPE DFS III 9 TR. GAIN BINARY

RECORD LENGTH 5.0 sec SURVEY SYSTEM LOAN C, SATNAV

FILTER 8/18 - 62 Hz DIRECTION SHOT NE

CABLE LENGTH 2350 m. CABLE DEPTH #1-50 #46-50

GROUP INTERVAL 50 m. GEOPHONE TYPE

OFFSET 280 m. OFF 1. GEOPHONES / TRACE

GUN DEPTH 10 m. GEOPHONE SPACING

FIRING INTERVAL 50 m. SP INTERVAL 50 m

MULTIPLICITY 2400%

RECORDING CONFIGURATION

DIGITAL PROCESSES

PROCESSED BY SEISCAN DELTA LTD. DATE JUNE / 74

1. EDIT SR 4 ms DATUM SEA LEVEL

2. GAIN RECOVERY 8 STACK 2400% CDP

4. T/V DECON OPER 360\* ms MULTICHANNEL FILTER

36 ms PREDICTIVE SEIS / STACK

PRE-DECON FILTERS COH/OP

SHALLOW 6-56 Hz SEIS/SCAN

DEEP 6-56 Hz

POST DECON FILTERS 10 TRACE EQUALIZATION

SHALLOW 6-56 Hz WINDOWS

DEEP 6-56 Hz

3 CDP GATHERS 9 DIGITAL FILTER

5 VELOCITY SPECTRA 11 DISPLAY


6 NMO 16 TRACES / INCH

7 MUTING (SEE VERVELS) 3.75 INCHES / SECOND

PROCESSING RUN 1

REEL 1960

JOB 51701



REMARKS

\* OPERATOR VARIES TO 240ms WITH WATER BOTTOM