

PC-1

S.P. 1 TO S.P. 91





600% DBS-TVF

SP 26.75				SP 21.75				SP 19.50				SP 16.75				SP 14.25				SP 5.75			
TIME	RMS	VEL	DIST	TIME	RMS	VEL	DIST	TIME	RMS	VEL	DIST	TIME	RMS	VEL	DIST	TIME	RMS	VEL	DIST	TIME	RMS	VEL	DIST
0.02	1700	1700	1700	0.02	1900	1900	1900	0.02	1900	1900	1900	0.02	1800	1800	1800	0.02	1700	1700	1700	0.02	1600	1600	1600
0.30	1800	1807	1807	0.60	2100	2107	2107	0.60	2100	2107	2107	0.60	2000	2014	2014	0.60	2000	2010	2010	0.70	2000	2011	2011
0.80	2100	2561	2561	0.70	2150	2428	2428	0.70	2200	2561	2561	0.70	2100	2378	2378	0.70	2100	2418	2418	0.90	2100	2418	2418
1.00	2200	2561	2561	1.00	2200	2312	2312	1.04	2400	2853	2853	0.70	2100	2378	2378	0.84	2100	2400	2400	1.10	2200	2603	2603
1.20	2400	3219	3219	1.10	2300	3129	3129	1.30	2500	2855	2855	0.90	2150	2317	2317	1.05	2250	2770	2770	1.36	2500	3495	3495
1.40	2450	2731	2731	1.20	2500	3211	3211	1.30	2500	4739	4739	1.00	2300	3007	3007	1.30	2500	3352	3352	2.20	3400	4490	4490
1.60	3000	4415	4415	1.50	2800	4328	4328	1.30	3200	4138	4138	1.30	2400	3799	3799	1.60	2800	4216	4216	3.00	3600	4100	4100
3.00	3800	4754	4754	3.00	3800	4654	4654	3.00	3600	4202	4202	1.50	2800	4622	4622	3.00	3800	4619	4619	5.00	4000	4534	4534
5.00	4100	4513	4513	5.00	4100	4513	4513	5.00	4000	4534	4534	5.00	4100	4513	4513	5.00	4100	4513	4513				

PC-5  
SP-457-458

PC-4  
SP-273-274

ELEV. 30 25 20 15 10 5 2 DATUM CORR. -300 MS



SNIA

WESTERN

RICERCHE GEOFISICHE


AREA ITALIA CENTRALE  
PERMESSO CAMPOMARINO

DATE SHOT ..... OCTOBER, 1974  
DATE PROCESSED ..... FEBRUARY, 1983

RECORDING DATA

PART NUMBER ..... R-105-SIAG  
RECORDER ..... OFS-10A  
GAIN ..... A.G.C.  
RECORDING FILTER (HZ) ..... 12/92  
RECORD LENGTH ..... 5 SEC  
SAMPLE RATE (MS) ..... 2  
SUBSURFACE COVERAGE ..... 600 PCT  
GROUP INTERVAL (METERS) ..... 75  
NUMBER OF GROUPS ..... 24  
WEATHERING VELOCITY ..... M/S  
STATIC COMPUTATION VELOCITY ..... 2000 M/S  
DATUM PLANE (ABOVE SEA LEVEL) ..... 0

SPREAD DIMENSIONS



CENTRE OF SOURCE ARRAY  
DIRECTION OF LINE  
GEOPHONE TYPE  
GEOPHONE FREQUENCY 14 HZ  
GEOPHONE GROUP 24  
ENERGY SOURCE DYNAMITE  
SHOT HOLES (S.F.) 1  
AVERAGE CHARGE / SHOT 5KG  
AVERAGE SHOT DEPTH 18-20 M

LEGEND

VELOCITY ANALYSIS

INTERSECTIONS

ANALYST *gl...* DATE 2.83

PROCESSING SEQUENCE

EDIT GEO. AMPL. SA 4MS LEN. 5SEC.

EDIT REEL N. 104751

PREPROCESSOR/DECON

DECON TYPE MINIMUM PHASE INVERSE FILTER  
MIN. PRED. DIST 16-24, MAX. PRED. DIST. 160MS  
NO. OF WINDOWS 2  
STOP AUTOCORRELATION 4.0SEC.  
DECON REEL N.

SURFACE CONSISTENT RESID. STATICS.

VELOCITY ANALYSIS

NMO, STATICS, MUTE APPLICATION

STRETCH DEPENDENT MUTE 14MPCCT

SURFACE CONSISTENT RESID. STATICS.

COHERENCY STACK 600 PCT.

STK REEL N. 105698

RMS GAIN

TIME VARIANT FILTER

VERTICAL & SPATIAL INTERPOLATION  
15-54 HZ  
13-48 HZ  
0-38 HZ

TRACE INTERPOLATION NO

G. I. FROM 75 M. TO 50 M.

MIGRATION HIGH ORDER NO

PLAYBACK

HORIZONTAL SCALE 0 CM./MM.  
VERTICAL SCALE 10 CM/SEC

LINE LOCATION MAP

