

LINE PC-12

S.P. 100 TO S.P. 222

TIME	RMS VEL	DIC INT
0.10	1900	1900
0.40	2100	2132
1.00	2700	3189
1.80	3400	5148
2.40	4200	6980
3.20	4900	6567
4.00	5200	6258


TIME	RMS VEL	DIC INT
0.10	1700	1700
0.40	1900	1962
1.00	2150	2302
1.60	2400	2767
2.00	3000	4685
2.40	3900	6801
3.20	4900	7100
4.00	5200	6258

TIME	RMS VEL	DIC INT
0.10	1800	1800
0.40	2100	2195
1.00	2900	2816
1.60	2700	3646
2.00	3800	6560
2.40	4300	6224
3.20	4900	6369
4.00	5200	6258

4879

1200PCT-DBS-TVF

ELEV. 40 150 160 170 180 190 200 210 220 DATUM CORR. -300 MS



SNIA

RICERCHE GEOFISICHE

AREA MOLISE
PERMESSO TORRENTE SACCIONE

DATE SHOT JUNE 1979
DATE PROCESSED JUNE 1982

RECORDING DATA

PARTY NUMBER 0.C.S.
RECORDER OPS-111
RECORDING FILTER (HZ) DUT/124
RECORD LENGTH 65EC
SAMPLE RATE (MS) 4
SUBSURFACE COVERAGE 1200 PCT
GROUP INTERVAL (METERS) 75
NUMBER OF GROUPS 48
WEATHERING VELOCITY 500M/S
STATIC COMPUTATION VELOCITY 2000 M/S
DATUM PLANE (ABOVE SEA LEVEL) 0

PROCESSING SEQUENCE

EDIT GEO.AMPL. SA 4MS LEN. 5SEC.
PREPROCESSOR/DECON
DECON TYPE MINIMUM PHASE INVERSE FILTER
MIN. PRED. DIST 4MS. MAX. PRED. DIST. 160MS
NO. OF WINDOWS 2
STOP AUTOCORRELATION 4.5SEC.
DECON REEL N. 106404
VELOCITY ANALYSIS
NMO, STATICS, MUTE APPLICATION
STRETCH DEPENDENT MUTE 154PCT
SURFACE CONSISTENT RESID. STATICS.
STACK 1200PCT 10849
RMS GAIN
TIME VARIANT FILTER
TRACE INTERPOLATION NO
MIGRATION H.O. EXPLICIT NO
PLAYBACK
HORIZONTAL SCALE 5.5 TR/C
VERTICAL SCALE 10 CM/SEC

SPREAD DIMENSIONS

1525M
262M
DIRECTION OF LINE EAST

GEOPHONE FREQUENCY 10-HZ
GEOPHONE/GROUP 24
ENERGY SOURCE ESPLOSIVO
SHOT MOLES/S.P. 1
AVERAGE CHARGE/SHOT 8KG
AVERAGE SHOT DEPTH 18 M

LEGEND

VELOCITY ANALYSIS
INTERSECTIONS
ANALYST *S. P. 1982* DATE 8.82

LINE LOCATION MAP

